

## **Linear Motion Bellows**


Customer Information	Project Information	
Company	Project/Reference	Qty Required
Address	Application	
City State Zip		
Contact	Replacement Cover New Design	gn Nabell Desigr
PhoneFax	Acceleration Speed	Cycles/day
Email	Requested Material:	Nabell Recomended
Application Information	If unit of measure is not show	n, please specify
Bellows/Cover Construction:   Nabell Recommendation	☐ Heat-Sealed ☐ Folded ☐ S	ewn   Sewn/Folded
Orientation: Please supply a sketch/drawing/CAD File/model (.dwg, .dxf, .s	stp, .sldprt) or photos	
☐ Horizontal ☐ Vertical ☐ Vertic	Cros	ssrail
Environmental Conditions/Protection	<b>V</b>	<b>V</b>
☐ Chemicals/Coolant specify type, % concentration, MSDS	N	Misc Information
Exposure:	eavy Spray	☐ Food Grade/FDA
Chips/Particles specify type, size & temp at bellows		☐ Laser
Pressures internal external difference		 ☐ Water Jet
Clean Room class	cify)	☐ Plasma Cutter
Water/Moisture specify type		☐ Outdoors
Safety/Dust Cover specify		☐ Medical
Weld Spatter/Sparks (Distance from bellows)		Other specify
Ambient Temp Range to Intermittant Temp		
Standards/Requirements		
□ REACH: □ RoHS:		AIR:
☐ CONFLICT Minerals:		
Mounting Options		
End 1: ☐ Flange ☐ Holes required (specify/provide drawing) ☐ Hook and Loop (velcro) ☐ Cuff Attachment Dimens		ed
End 2:		ed   No Flange required
Will bellows be supported during operation?   C-Channel  (Nabell recommends providing a method of capture to control any de-	☐ Z-Channel ☐ Cable/Rod ☐ Other	

Phone: 704-986-2455 Fax: 704-986-2456 Email: sales@nabell.com Website: www.nabell.com



## **Linear Motion Bellows**

## **Please Select style**



## Dimensions (Please provide drawing or model (.dwg, .dxf, .stp, .sldprt)

Min D \_\_\_ Please specify unit of measure E Max  $\square$  MM ☐ INCH F Stroke Rail Manufacturer: Rail Model: В ☐1 Rail ☐ 2 Rails ☐ Ball Screw С X (Dual/Parallel rails)

MAX.

(Nabell recommends providing a method of capture to control any deviation from the intended travel path)

Phone: 704-986-2455 Fax: 704-986-2456 Email: sales@nabell.com Website: www.nabell.com